



Recognition Schedule

Laboratory Recognition Programme

Laboratory Name: Amlab Services Pte Ltd
 Address: 7 Soon Lee Street
 #03-10/11/13 iSpace
 Singapore 627608

Certificate No.: LRP-2020-013/AML
 Date of Issue: 01 April 2024
 Issue No.: 05

S/N	Food Category	Area	Test Parameter	Standard Reference Method/ In-house Method No./ Equipment/ Technique
1	Milk and Dairy Products	Microbiological Indicators	Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
2			E. coli Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
3			Faecal Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN)
4			Mould Count	FDA BAM, Chapter 18 (Apr 2001)
5			pH @ 25°C	In-house method C&B-W033 (Rev 1)
6			Total Colony Count / Aerobic Plate Count @ 30/35°C	FDA-BAM, Chapter 3 (Jan 2001)
7		Yeast Count	FDA BAM, Chapter 18 (Apr 2001)	
8		Pathogens, Parasites & Toxins	Bacillus cereus Count	FDA BAM, Chapter 14 (Oct 2020)
9			Clostridium perfringens	FDA BAM, Chapter 16 (Jan 2001)
10			Coagulase Positive Staphylococcus aureus Count	FDA BAM, Chapter 12 (Mar 2016)
11			Listeria monocytogenes	FDA-BAM, Chapter 10 (Apr 2022)
12			Salmonella spp.	FDA BAM, Chapter 5 (Mar 2022) ISO 6579-1: 2017/ AMD 1: 2020

Laboratory Name: Amlab Services Pte Ltd
 Address: 7 Soon Lee Street
 #03-10/11/13 iSpace
 Singapore 627608

Certificate No.: LRP-2020-013/AML

Date of Issue: 01 April 2024

Issue No.: 05

S/N	Food Category	Area	Test Parameter	Standard Reference Method/ In-house Method No./ Equipment/ Technique	
13			Shigella spp.	ISO 21567: 2004	
14			Vibrio cholerae	ISO 21872-1:2017 /AMD 1: 2023	
15		Food Specifications	Ash	In-house method C&B W028 Rev4	
16			Carbohydrate	In-house method C&B W031 Rev1 (Calculation)	
17			Crude protein	In-house method C&B W030 Rev3 (Kjeldahl method)	
18			Moisture	In- house method C&B W029 Rev2	
19			Nuts and Related Products	Microbiological Indicators	Coliform Count
20		E. coli Count			FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
21	Faecal Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN)			
22	Total Colony Count / Aerobic Plate Count @ 30/35°C	FDA-BAM, Chapter 3 (Jan 2001)			
23	Pathogens, Parasites & Toxins	Coagulase Positive Staphylococcus aureus Count		FDA BAM, Chapter 12 (Mar 2016)	
24		Salmonella spp.		FDA BAM, Chapter 5 (Mar 2022) ISO 6579-1: 2017/ AMD 1: 2020	
25		Shigella spp.		ISO 21567: 2004	
26		Vibrio cholerae		ISO 21872-1:2017 /AMD 1: 2023	
27	Fruits and Vegetables	Microbiological Indicators	Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)	
28			E. coli Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)	

Laboratory Name: Amlab Services Pte Ltd
 Address: 7 Soon Lee Street
 #03-10/11/13 iSpace
 Singapore 627608

Certificate No.: LRP-2020-013/AML

Date of Issue: 01 April 2024

Issue No.: 05

S/N	Food Category	Area	Test Parameter	Standard Reference Method/ In-house Method No./ Equipment/ Technique
29			Faecal Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN)
30			Total Colony Count / Aerobic Plate Count @ 30/35°C	FDA-BAM, Chapter 3 (Jan 2001)
31			Pathogens, Parasites & Toxins	Coagulase Positive Staphylococcus aureus Count
32		Listeria monocytogenes		FDA-BAM, Chapter 10 (Apr 2022)
33		Salmonella spp.		FDA BAM, Chapter 5 (Mar 2022) ISO 6579-1: 2017/ AMD 1: 2020
34		Shigella spp.		ISO 21567: 2004
35		Vibrio cholerae		ISO 21872-1:2017 /AMD 1: 2023
36		Vibrio parahaemolyticus Count		ISO 21872-1: 2017 Practical Food Microbiology 3rd Edition Chapter 6.15 (2003) (CFU) (Method 3)
37		Vibrio vulnificus		ISO 21872-1: 2017/ AMD 1: 2023
38		Food Additives	Benzoic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)
39			Sorbic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)
40			Sulphur Dioxide	In-house method C&B W049 Rev 4
41		Cocoa Products	Microbiological Indicators	Coliform Count
42	E. coli Count			FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
43	Faecal Coliform Count			FDA-BAM, Chapter 4 (Oct 2020) (MPN)

Laboratory Name: Amlab Services Pte Ltd
 Address: 7 Soon Lee Street
 #03-10/11/13 iSpace
 Singapore 627608

Certificate No.: LRP-2020-013/AML

Date of Issue: 01 April 2024

Issue No.: 05

S/N	Food Category	Area	Test Parameter	Standard Reference Method/ In-house Method No./ Equipment/ Technique	
44		Pathogens, Parasites & Toxins	Total Colony Count / Aerobic Plate Count @ 30/35°C	FDA-BAM, Chapter 3 (Jan 2001)	
45			Coagulase Positive Staphylococcus aureus Count	FDA BAM, Chapter 12 (Mar 2016)	
46			Salmonella spp.	FDA BAM, Chapter 5 (Mar 2022) ISO 6579-1: 2017/ AMD 1: 2020	
47			Shigella spp.	ISO 21567: 2004	
48			Vibrio cholerae	ISO 21872-1:2017 /AMD 1: 2023	
49		Food Specifications	Fat %	In- house method C&B W037 Rev4	
50			Moisture	In- house method C&B W029 Rev2	
51			pH	In-house method C&B-W033 (Rev 1)	
52		Meat and Meat Products	Microbiological Indicators	Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
53				E. coli Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
54	pH @ 25°C			In-house method C&B-W033 (Rev 1)	
55	Total Colony Count / Aerobic Plate Count @ 30/35°C			FDA-BAM, Chapter 3 (Jan 2001)	
56	Pathogens, Parasites & Toxins		Clostridium perfringens	FDA BAM, Chapter 16 (Jan 2001)	
57			Coagulase Positive Staphylococcus aureus Count	FDA BAM, Chapter 12 (Mar 2016)	
58			Listeria monocytogenes	FDA-BAM, Chapter 10 (Apr 2022)	
59			Salmonella spp.	FDA BAM, Chapter 5 (Mar 2022) ISO 6579-1: 2017/ AMD 1: 2020	
60			Shigella spp.	ISO 21567: 2004	

Laboratory Name: Amlab Services Pte Ltd
 Address: 7 Soon Lee Street
 #03-10/11/13 iSpace
 Singapore 627608

Certificate No.: LRP-2020-013/AML

Date of Issue: 01 April 2024

Issue No.: 05

S/N	Food Category	Area	Test Parameter	Standard Reference Method/ In-house Method No./ Equipment/ Technique
61		Food Additives	Vibrio cholerae	ISO 21872-1:2017 /AMD 1: 2023
62			Nitrate	In-House method C&B W047 Rev 3 (UPLC-PDA)
63			Nitrite	In-House method C&B W047 Rev 3 (UPLC-PDA)
64	Fish and Seafood Products	Microbiological Indicators	Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
65			E. coli Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
66			Faecal Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN)
67			pH @ 25°C	In-house method C&B-W033 (Rev 1)
68			Total Colony Count / Aerobic Plate Count @ 30/35°C	FDA-BAM, Chapter 3 (Jan 2001)
69		Pathogens, Parasites & Toxins	Coagulase Positive Staphylococcus aureus Count	FDA BAM, Chapter 12 (Mar 2016)
70			Listeria monocytogenes	FDA-BAM, Chapter 10 (Apr 2022)
71			Salmonella spp.	FDA BAM, Chapter 5 (Mar 2022) ISO 6579-1: 2017/ AMD 1: 2020
72			Shigella spp.	ISO 21567: 2004
73			Vibrio cholerae	ISO 21872-1:2017 /AMD 1: 2023
74			Vibrio parahaemolyticus Count	ISO 21872-1: 2017 Practical Food Microbiology 3rd Edition Chapter 6.15 (2003) (CFU) (Method 3)
75			Vibrio vulnificus	ISO 21872-1: 2017/ AMD 1: 2023

Laboratory Name: Amlab Services Pte Ltd
 Address: 7 Soon Lee Street
 #03-10/11/13 iSpace
 Singapore 627608

Certificate No.: LRP-2020-013/AML

Date of Issue: 01 April 2024

Issue No.: 05

S/N	Food Category	Area	Test Parameter	Standard Reference Method/ In-house Method No./ Equipment/ Technique
76		Food Additives	Benzoic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)
77			Sorbic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)
78			Sulphur Dioxide	In-house method C&B W049 Rev 4
79		Inorganic Contaminants	Mercury	In-house method C&B-W024 (Rev 7)
80		Organic Contaminants	Histamine	In-house method C&B-W045 (Rev 3) (LCMSMS)
81	Egg and Egg Based Products	Microbiological Indicators	Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
82			E. coli Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
83			Faecal Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN)
84			Total Colony Count / Aerobic Plate Count @ 30/35°C	FDA-BAM, Chapter 3 (Jan 2001)
85		Pathogens, Parasites & Toxins	Coagulase Positive Staphylococcus aureus Count	FDA BAM, Chapter 12 (Mar 2016)
86			Listeria monocytogenes	FDA-BAM, Chapter 10 (Apr 2022)
87			Salmonella spp.	FDA BAM, Chapter 5 (Mar 2022) ISO 6579-1: 2017/ AMD 1: 2020
88			Shigella spp.	ISO 21567: 2004
89			Vibrio cholerae	ISO 21872-1:2017 /AMD 1: 2023
90	Sweeteners	Microbiological Indicators	Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)

Laboratory Name: Amlab Services Pte Ltd
 Address: 7 Soon Lee Street
 #03-10/11/13 iSpace
 Singapore 627608

Certificate No.: LRP-2020-013/AML

Date of Issue: 01 April 2024

Issue No.: 05

S/N	Food Category	Area	Test Parameter	Standard Reference Method/ In-house Method No./ Equipment/ Technique
91			E. coli Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
92			Faecal Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN)
93			Mould Count	FDA BAM, Chapter 18 (Apr 2001)
94			Total Colony Count / Aerobic Plate Count @ 30/35°C	FDA-BAM, Chapter 3 (Jan 2001)
95			Yeast Count	FDA BAM, Chapter 18 (Apr 2001)
96		Pathogens, Parasites & Toxins	Coagulase Positive Staphylococcus aureus Count	FDA BAM, Chapter 12 (Mar 2016)
97			Salmonella spp.	FDA BAM, Chapter 5 (Mar 2022) ISO 6579-1: 2017/ AMD 1: 2020
98			Food Additives	Sulphur Dioxide
99	Flour, Improvers and Related Products	Microbiological Indicators	Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
100			E. coli Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
101			Faecal Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN)
102			Total Colony Count / Aerobic Plate Count @ 30/35°C	FDA-BAM, Chapter 3 (Jan 2001)
103		Pathogens, Parasites & Toxins	Coagulase Positive Staphylococcus aureus Count	FDA BAM, Chapter 12 (Mar 2016)
104		Food Additives	Benzoic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)
105			Sorbic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)

Laboratory Name: Amlab Services Pte Ltd
 Address: 7 Soon Lee Street
 #03-10/11/13 iSpace
 Singapore 627608

Certificate No.: LRP-2020-013/AML

Date of Issue: 01 April 2024

Issue No.: 05

S/N	Food Category	Area	Test Parameter	Standard Reference Method/ In-house Method No./ Equipment/ Technique
106		Food Specifications	Moisture	In- house method C&B W029 Rev2
107			pH	In-house method C&B-W033 (Rev 1)
108	Grain Based Products	Microbiological Indicators	Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
109			E. coli Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
110			Faecal Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN)
111			pH @ 25°C	In-house method C&B-W033 (Rev 1)
112			Total Colony Count / Aerobic Plate Count @ 30/35°C	FDA-BAM, Chapter 3 (Jan 2001)
113		Pathogens, Parasites & Toxins	Coagulase Positive Staphylococcus aureus Count	FDA BAM, Chapter 12 (Mar 2016)
114			Salmonella spp.	FDA BAM, Chapter 5 (Mar 2022) ISO 6579-1: 2017/ AMD 1: 2020
115			Shigella spp.	ISO 21567: 2004
116			Vibrio cholerae	ISO 21872-1:2017 /AMD 1: 2023
117		Confectionery and Bakery Products	Microbiological Indicators	Coliform Count
118	E. coli Count			FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
119	Faecal Coliform Count			FDA-BAM, Chapter 4 (Oct 2020) (MPN)
120	Mould Count			FDA BAM, Chapter 18 (Apr 2001)
121	Total Colony Count / Aerobic Plate Count @ 30/35°C			FDA-BAM, Chapter 3 (Jan 2001)
122	Yeast Count			FDA BAM, Chapter 18 (Apr 2001)

Laboratory Name: Amlab Services Pte Ltd
 Address: 7 Soon Lee Street
 #03-10/11/13 iSpace
 Singapore 627608

Certificate No.: LRP-2020-013/AML

Date of Issue: 01 April 2024

Issue No.: 05

S/N	Food Category	Area	Test Parameter	Standard Reference Method/ In-house Method No./ Equipment/ Technique	
123		Pathogens, Parasites & Toxins	Coagulase Positive Staphylococcus aureus Count	FDA BAM, Chapter 12 (Mar 2016)	
124			Salmonella spp.	FDA BAM, Chapter 5 (Mar 2022) ISO 6579-1: 2017/ AMD 1: 2020	
125			Shigella spp.	ISO 21567: 2004	
126			Vibrio cholerae	ISO 21872-1:2017 /AMD 1: 2023	
127		Food Additives	Benzoic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)	
128			Sorbic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)	
129			Sulphur Dioxide	In-house method C&B W049 Rev 4	
130		Sauces, Seasonings, Soup, Spices and Related Products	Microbiological Indicators	Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
131				E. coli Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
132				Faecal Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN)
133	Mould Count			FDA BAM, Chapter 18 (Apr 2001)	
134	pH @ 25°C			In-house method C&B-W033 (Rev 1)	
135	Total Colony Count / Aerobic Plate Count @ 30/35°C			FDA-BAM, Chapter 3 (Jan 2001)	
136	Yeast Count			FDA BAM, Chapter 18 (Apr 2001)	
137	Pathogens, Parasites & Toxins		Bacillus cereus Count	FDA BAM, Chapter 14 (Oct 2020)	
138			Coagulase Positive Staphylococcus aureus Count	FDA BAM, Chapter 12 (Mar 2016)	
139			Listeria monocytogenes	FDA-BAM, Chapter 10 (Apr 2022)	

Laboratory Name: Amlab Services Pte Ltd
 Address: 7 Soon Lee Street
 #03-10/11/13 iSpace
 Singapore 627608

Certificate No.: LRP-2020-013/AML
 Date of Issue: 01 April 2024
 Issue No.: 05

S/N	Food Category	Area	Test Parameter	Standard Reference Method/ In-house Method No./ Equipment/ Technique
140			Salmonella spp.	FDA BAM, Chapter 5 (Mar 2022) ISO 6579-1: 2017/ AMD 1: 2020
141			Shigella spp.	ISO 21567: 2004
142			Vibrio cholerae	ISO 21872-1:2017 /AMD 1: 2023
143			Vibrio parahaemolyticus Count	Practical Food Microbiology 3rd Edition Chapter 6.15 (2003) (CFU) (Method 3)
144		Food Additives	Benzoic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)
145			Methyl Paraben	In-house method C&B W048 Rev 1 (UPLC-PDA)
146			Sorbic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)
147			Sulphur Dioxide	In-house method C&B W049 Rev 4
148			Propyl Paraben	In-house method C&B W048 Rev 1 (UPLC-PDA)
149		Food Specifications	Moisture	In- house method C&B W029 Rev2
150	Food Supplements	Microbiological Indicators	Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
151			E. coli Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
152			Faecal Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN)
153			pH @ 25°C	In-house method C&B-W033 (Rev 1)
154			Total Colony Count / Aerobic Plate Count @ 30/35°C	FDA-BAM, Chapter 3 (Jan 2001)
155		Bacillus cereus Count	FDA BAM, Chapter 14 (Oct 2020)	

Laboratory Name: Amlab Services Pte Ltd
 Address: 7 Soon Lee Street
 #03-10/11/13 iSpace
 Singapore 627608

Certificate No.: LRP-2020-013/AML

Date of Issue: 01 April 2024

Issue No.: 05

S/N	Food Category	Area	Test Parameter	Standard Reference Method/ In-house Method No./ Equipment/ Technique
156		Pathogens, Parasites & Toxins	Coagulase Positive Staphylococcus aureus Count	FDA BAM, Chapter 12 (Mar 2016)
157			Salmonella spp.	FDA BAM, Chapter 5 (Mar 2022) ISO 6579-1: 2017/ AMD 1: 2020
158			Shigella spp.	ISO 21567: 2004
159			Vibrio cholerae	ISO 21872-1:2017 /AMD 1: 2023
160		Food Additives	Benzoic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)
161			Nitrate	In-House method C&B W047 Rev 3 (UPLC-PDA)
162			Nitrite	In-House method C&B W047 Rev 3 (UPLC-PDA)
163			Sorbic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)
164			Sulphur Dioxide	In-house method C&B W049 Rev 4
165		Bottled Water	Microbiological Indicators	Coliform Count
166	E. coli Count			APHA 9222 B / D / H
167	Faecal Coliform Count			APHA 9222 D
168	Total Colony Count / Aerobic Plate Count @ 30/35°C			APHA 9215 B / C / D
169	Pathogens, Parasites & Toxins		Enterococci Count	APHA 9230 C
170			Pseudomonas aeruginosa Count	APHA 9213 E
171	Inorganic Contaminants		Anions (Chloride, Nitrate, Nitrite, Fluoride, Sulphate)	APHA 4110 B

Laboratory Name: Amlab Services Pte Ltd
 Address: 7 Soon Lee Street
 #03-10/11/13 iSpace
 Singapore 627608

Certificate No.: LRP-2020-013/AML

Date of Issue: 01 April 2024

Issue No.: 05

S/N	Food Category	Area	Test Parameter	Standard Reference Method/ In-house Method No./ Equipment/ Technique	
172			Cyanide	APHA 4500-CN- B/C/D/E/F	
173			Metals (Antimony, Arsenic, Barium, Boron, Cadmium, Chromium, Copper, Lead, Manganese, Mercury, Nickel, Selenium)	APHA 3120 B, Mercury Analyzer for Hg	
174		Organic Contaminants	Trihalomethanes (Chloroform, bromodichloromethane, dibromochloromethane, bromoform)	USEPA 5021A (Jul 2014), USEPA 8260 D (Jul 2018)	
175		Tea	Microbiological Indicators	Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
176	E. coli Count			FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)	
177	Faecal Coliform Count			FDA-BAM, Chapter 4 (Oct 2020) (MPN)	
178	Mould Count			FDA BAM, Chapter 18 (Apr 2001)	
179	Total Colony Count / Aerobic Plate Count @ 30/35°C			FDA-BAM, Chapter 3 (Jan 2001)	
180	Yeast Count			FDA BAM, Chapter 18 (Apr 2001)	
181	Pathogens, Parasites & Toxins			Coagulase Positive Staphylococcus aureus Count	FDA BAM, Chapter 12 (Mar 2016)
182				Salmonella spp.	FDA BAM, Chapter 5 (Mar 2022) ISO 6579-1: 2017/ AMD 1: 2020
183	Beverages	Microbiological Indicators	Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)	
184			E. coli Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)	
185			Faecal Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN)	

Laboratory Name: Amlab Services Pte Ltd
 Address: 7 Soon Lee Street
 #03-10/11/13 iSpace
 Singapore 627608

Certificate No.: LRP-2020-013/AML

Date of Issue: 01 April 2024

Issue No.: 05

S/N	Food Category	Area	Test Parameter	Standard Reference Method/ In-house Method No./ Equipment/ Technique	
186	General Food Products		Mould Count	FDA BAM, Chapter 18 (Apr 2001)	
187			pH @ 25°C	In-house method C&B-W033 (Rev 1)	
188			Total Colony Count / Aerobic Plate Count @ 30/35°C	FDA-BAM, Chapter 3 (Jan 2001)	
189			Yeast Count	FDA BAM, Chapter 18 (Apr 2001)	
190		Pathogens, Parasites & Toxins	Coagulase Positive Staphylococcus aureus Count	FDA BAM, Chapter 12 (Mar 2016)	
191			Listeria monocytogenes	FDA-BAM, Chapter 10 (Apr 2022)	
192			Salmonella spp.	FDA BAM, Chapter 5 (Mar 2022) ISO 6579-1: 2017/ AMD 1: 2020	
193			Shigella spp.	ISO 21567: 2004	
194			Vibrio cholerae	ISO 21872-1:2017 /AMD 1: 2023	
195		Food Additives	Benzoic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)	
196			Sorbic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)	
197			Sulphur Dioxide	In-house method C&B W049 Rev 4	
198		General Food Products	Food Additives	Benzoic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)
199				Methyl Paraben	In-house method C&B W048 Rev 1 (UPLC-PDA)
200				Nitrate	In-House method C&B W047 Rev 3 (UPLC-PDA)
201				Nitrite	In-House method C&B W047 Rev 3 (UPLC-PDA)

Laboratory Name: Amlab Services Pte Ltd
 Address: 7 Soon Lee Street
 #03-10/11/13 iSpace
 Singapore 627608

Certificate No.: LRP-2020-013/AML

Date of Issue: 01 April 2024

Issue No.: 05

S/N	Food Category	Area	Test Parameter	Standard Reference Method/ In-house Method No./ Equipment/ Technique
202			Sorbic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)
203			Sulphur Dioxide	In-house method C&B W049 Rev 4
204			Propyl Paraben	In-house method C&B W048 Rev 1 (UPLC-PDA)
205			Inorganic Contaminants	Mercury
206	RTE	Microbiological Indicators	Escherichia coli count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
207			Total Colony Count / Aerobic Plate Count @ 30/35°C	FDA-BAM, Chapter 3 (Jan 2001)
208		Pathogens, Parasites & Toxins	Coagulase Positive Staphylococcus aureus count	FDA BAM, Chapter 12 (Mar 2016)
209			Listeria monocytogenes	FDA-BAM, Chapter 10 (Apr 2022)
210			Salmonella spp.	FDA BAM, Chapter 5 (Mar 2022) ISO 6579-1: 2017/ AMD 1: 2020
211			Shigella spp.	ISO 21567: 2004
212			Vibrio cholerae	ISO 21872-1:2017 /AMD 1: 2023
213			Vibrio parahaemolyticus Count	Practical Food Microbiology 3rd Edition Chapter 6.15 (2003) (CFU) (Method 3)
214			Vibrio vulnificus	ISO 21872-1: 2017/ AMD 1: 2023
215			Food Additives	Benzoic Acid
216		Nitrate		In-House method C&B W047 Rev 3 (UPLC-PDA)

Laboratory Name: Amlab Services Pte Ltd
Address: 7 Soon Lee Street
#03-10/11/13 iSpace
Singapore 627608

Certificate No.: LRP-2020-013/AML

Date of Issue: 01 April 2024

Issue No.: 05

S/N	Food Category	Area	Test Parameter	Standard Reference Method/ In-house Method No./ Equipment/ Technique
217			Nitrite	In-House method C&B W047 Rev 3 (UPLC-PDA)
218			Sorbic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)
219			Sulphur Dioxide	In-house method C&B W049 Rev 4