Tick once	Pre-licensing Health Requirements	Remarks
complied		
	CUMENTARY REQUIREMENT	
Details of ap	Details of applicant - one of the following (where applicable):	
	i. Individual - Both sides of NRIC	
	ii. Company - Information Business Profile from Accounting & Corporate Regulatory Authority	
	(ACRA) (within 3 months from application date)	
	iii. Society - Certificate of Registration from Registrar of Societies	
	Letter of authorisation for representative to submit the application	
Premises det	ails and business operation	
	Approval from land agencies e.g. BCA TOP/URA Change of use approval/ HDB usage approval	Please note that this is potential pitfall for applicant. Applicant should ensure the relevant planning permission is obtained prior to signing any tenancy agreement and investing in renovation/equipment for the premises.
	Tenancy agreement	Please note that the submission of a tenancy agreement is not required during the initial stage of application for a licence. The tenancy agreement will only be required at the final stage before SFA approves and issues the licence. You are advised not to sign any tenancy agreement until the land agency concerned has approved the relevant use for the premises, and you are reasonably confident that you are able to meet the licensing requirements as well as verifying with the owner/landlord on the necessary renovations like installation of exhaust system, sink piping, etc.
	Layout plan of premises (in scaled metric units)	
	Location plan and indicate the location of your food shop.	Only for food shops in buildings
	Supplementary information form to capture business name, type of food sold, business operating hours.	
Maintenance		1
	Pest control contract covering the control of rodents, cockroaches and flies during the year-long licensing period. The inspection frequency of the food shop premises covered in the contract shall be at least once a month to detect any sign of pest infestation.	
	Detailed cleaning schedule	

Food handler/ Food hygiene officer	
Basic food hygiene course certificate/ Refresher food hygiene certificate of food handlers	
NRICs/Work Permits of all food handlers working in the premises	
Food Hygiene Officer (FHO) course certificate	For Caterer, Canteen, Food Court, Restaurant housed in 2 or more adjacent units in Private & HDB shophouses or with kitchen area exceeding 16 sq metres only
Food catering vehicle	·
Photographs showing the interior and exterior of the food delivery vehicle. The external body of the vehicle should reflect the name of food catering company /address/contact number/ licence number(s) clearly	For food shop with catering only
Vehicle log card to prove ownership of vehicle. If the vehicle is on lease arrangement, submit a	For food shop with catering only
photocopy of the leasing agreement and vehicle log card to show the legal agreement.	
Detailed schedule on the cleaning of the vehicle.	For food shop with catering only
Food safety management system	
The flow diagram of your process workflow and operations from your FSMS/HACCP plan (with Critical Control Points (CCPs) identified)	For Food Caterer and In-house kitchen only
The HACCP charts from your FSMS/HACCP plan for the CCPs identified for your operations which includes but not limited to the following:  • Identification of hazards at CCPs  • Control measures and critical limits  • Monitoring procedures and documentation  • Corrective actions to be taken	For Food Caterer and In-house kitchen only
NRIC of the FSMS-trained personnel and the course certificate for "WSQ Apply Food Safety Management System for Food Service Establishments" (for food caterers WITHOUT HACCP certification)	For Food Caterer and In-house kitchen only
Valid HACCP certificate for the food catering premises (for food caterers WITH HACCP certification)	For Food Caterer and In-house kitchen only
2. FOOD SHOP DESIGN REQUIREMENT	
The minimum kitchen area shall be 10 sq metres (excluding the servery area). If the food shop operation involves food catering, a minimum kitchen area shall be 16 sq metres (excluding the servery area)	
Floor trap shall be constructed in the food preparation area for discharge of waste water to sewer.  The floor shall be constructed of non-slip and impervious material to facilitate classific.	
The floor shall be constructed of non-slip and impervious material to facilitate cleaning  The edge adjoining the wall and the ground shall be coved	
No manhole, inspection chamber, waste sump, screen chamber, grease trap or overhead	
sanitary/waste/drain pipes shall be sited within the areas where food is prepared, cooked, stored or	

served; or other areas where they are likely to give rise to nuisance, health or hygiene hazards during	
maintenance.	
The walls of the preparation and servery area shall be lined with glazed tiles or other suitable	
impervious materials, of not less than 1.5 m, to facilitate cleaning.	
At least one sink shall be provided in food preparation area. For a large kitchen, additional sinks may	
be required for the washing of soiled crockery. The numbers to be provided shall be according to the	
operator's needs.	
At least one wash hand basin equipped with hand soap shall be provided for the workers in the	
kitchen. If a double-bowl sink is installed and one of which is dedicated for hand washing purpose,	
the sink should be installed with two separate water taps.	
At least one wash hand basin shall be provided in the refreshment area of a foodshop which serves	
cuisines to be consumed using hands and is without toilet facilities. Tap shall be suitably adjusted to	
minimise splashing and shall be delayed-action type or preferably auto-sensor operated type. Hand	
soap, and hand dryer or hand drying towel, shall be provided at hand washing facilities	
Separate storage facilities shall be provided for workers' personal belongings, cleaning tools/material,	
food ingredients, cutlery and food packaging materials respectively. All food stores and storage	
cabinets provided shall be pest-proof and rodent proof. Racks for storage of goods are at least 150mm	
above the finished floor level.	
A storage room shall be provided, where practical, for storage of large equipment such as additional	
chairs, tables, etc	
All kitchen appliances and equipment such as oven, etc., and piping shall be kept at least 150mm	
above the finished floor level.	
All fumes from the cooking range shall be extracted immediately and treated with an air cleaning	
system. The cleaned air is exhausted outdoors by a hood and flue or other extractor fan system at or	
above the roof, facing away and aesthetically screened from the immediate neighbouring premises.	
Where it is not practical to exhaust the fumes at or above the roof, an alternate location of the	
discharged point in the outdoors may be selected, facing away and aesthetically screened from the	
immediate neighbouring premises.	
Sufficient make-up air shall be provided and negative pressure shall be maintained when the kitchen	
hood is in operation.	
All air ducts (incoming and outgoing) in the kitchen shall be made of non-combustible materials and	
of smooth texture, and easy to clean. Inspection opening should also be provided in the air ducting	
The food shop shall be well ventilated. Where mechanical ventilation is employed, there shall be at	
least 20 air changes per hour in the kitchen.	
For approval of building plans for premises with foodshop(s), a qualified person shall ensure that the	
exhaust and ventilation system complies with the above requirements and all applicable guidelines	
stipulated under Section 6.2 of the latest edition of Singapore Standard CP 13.	

For food shops with individual stalls	
Food shop with 6 to 15 individual stalls shall have a centralised wash area with minimum size of	For Eating House, Food Court, Canteen with stalls
5sqm	
Food shop with more than 15 individual stalls shall have a centralised wash area with minimum	For Eating House, Food Court, Canteen with stalls
size of 7sqm	
The centralised wash area shall be located in a well-ventilated room or an enclosure, and the walls	For Eating House, Food Court, Canteen with stalls
are lined with glazed tiles or other suitable impervious materials. The provision of commercial	
dishwashing machine in the centralised wash area is encourage	
3. HYGIENE REQUIREMENTS	
The premises shall be painted, thoroughly cleansed and all unwanted articles are removed.	
Adequate preparation tables top lined with stainless steel or other suitable impervious material shall	
be provided.	
Temperature gauges shall be installed for all refrigerators/chillers.	
Showcases with fixed glass panels/sneeze guards/proper covers that can be easily cleaned shall be	
provided for ready-to-eat food that are displayed for selection by the customers.	
Adequate number of pedal bins, lined with plastic bags, for the disposal of food waste and kitchen	
waste shall be provided	
Adequate number of wheeled refuse bins to contain food wastes/refuse shall be provided	
Adequate number of "No Smoking" signs shall be installed at strategic places in the premises	
Adequate number of "No Pets Allowed "signs shall be placed at strategic location within the	
premises and outdoor refreshment area. Except to allow guide dogs in the premises, so long as the	
dogs are harnessed and kept at the owner's side at all times.	
For food shops located in shophouses, there shall be a barrier (door kerb) laid across the rear	
entrance of the premises to prevent sullage from flowing to the drains	
Food lift(s)/Dumb waiters installed shall of impervious metal construction throughout and designed	For food shops with food lift only
to allow easy access for cleaning.	
Separate compartments for Food lift(s)/ Dumb waiters shall be provided. Prepared food and clean	For food shops with food lift only
utensils are restricted to the upper compartment, whereas food remnants and soiled utensils are	
restricted to the lower compartment.	