



Recognition Schedule

Laboratory Recognition Programme

Laboratory Name: Amlab Services Pte Ltd
 Address: 7 Soon Lee Street, #03-10/11/13, iSpace
 Singapore 627608

Certificate No.: LRP-2020-013/AML
 Date of Issue: 01 October 2025
 Issue No.: 06

S/N	Food Category	Area	Test Parameter	Standard Reference Method/ In-house Method No./ Equipment/ Technique
1	Milk and Dairy Products	Microbiological Indicators	Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
2			E. coli Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
3			Enterobacteriaceae Count	ISO 21528-2: 2017
4			Faecal Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN)
5			Mould Count	FDA BAM, Chapter 18 (Apr 2001)
6			pH @ 25°C	In-house method C&B-W033 (Rev 1)
7			Total Colony Count / Aerobic Plate Count @ 30/35°C	FDA-BAM, Chapter 3 (Jan 2001)
8			Yeast Count	FDA BAM, Chapter 18 (Apr 2001)
9		Pathogens, Parasites & Toxins	Bacillus cereus Count	FDA BAM, Chapter 14 (Oct 2020)
10			Clostridium perfringens	FDA BAM, Chapter 16 (Jan 2001)
11			Coagulase Positive Staphylococcus aureus Count	FDA BAM, Chapter 12 (Mar 2016)
12			E. coli O157: H7	ISO 16654-1: 2001 / AMD 1: 2017 / AMD 2: 2023
13			Listeria monocytogenes	FDA-BAM, Chapter 10 (Apr 2022)
14			Salmonella spp.	FDA BAM, Chapter 5 (May 2024) ISO 6579-1: 2017 / AMD 1: 2020
15			Shigella spp.	ISO 21567: 2004

Laboratory Name: Amlab Services Pte Ltd

Address: 7 Soon Lee Street, #03-10/11/13, iSpace
Singapore 627608

Certificate No.: LRP-2020-013/AML

Date of Issue: 01 October 2025

Issue No.: 06

S/N	Food Category	Area	Test Parameter	Standard Reference Method/ In-house Method No./ Equipment/ Technique	
16		Food Specifications	Vibrio cholerae	ISO 21872-1:2017 /AMD 1: 2023	
17			Ash	In-house method C&B W028 Rev4	
18			Carbohydrate	In-house method C&B W031 Rev1 (Calculation)	
19			Crude protein	In-house method C&B W030 Rev3 (Kjeldahl method)	
20			Moisture	In- house method C&B W029 Rev2	
21			Sucrose	In-house method C&B-W057 (Rev 1) (LCMSMS)	
22	Nuts and Related Products	Microbiological Indicators	Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)	
23			E. coli Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)	
24			Faecal Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN)	
25			Total Colony Count / Aerobic Plate Count @ 30/35°C	FDA-BAM, Chapter 3 (Jan 2001)	
26		Pathogens, Parasites & Toxins	Coagulase Positive Staphylococcus aureus Count	FDA BAM, Chapter 12 (Mar 2016)	
27			Salmonella spp.	FDA BAM, Chapter 5 (May 2024) ISO 6579-1: 2017 / AMD 1: 2020	
28			Shigella spp.	ISO 21567: 2004	
29			Vibrio cholerae	ISO 21872-1:2017 /AMD 1: 2023	
30		Fruits and Vegetables	Microbiological Indicators	Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
31				E. coli Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
32	Enterobacteriaceae Count			ISO 21528-2: 2017	
33	Faecal Coliform Count			FDA-BAM, Chapter 4 (Oct 2020) (MPN)	
34	Total Colony Count / Aerobic Plate Count @ 30/35°C			FDA-BAM, Chapter 3 (Jan 2001)	
35	Pathogens, Parasites & Toxins		Coagulase Positive Staphylococcus aureus Count	FDA BAM, Chapter 12 (Mar 2016)	
36		E. coli O157: H7	ISO 16654-1: 2001 / AMD 1: 2017 / AMD 2: 2023		

Laboratory Name: Amlab Services Pte Ltd

Certificate No.: LRP-2020-013/AML

Address: 7 Soon Lee Street, #03-10/11/13, iSpace

Date of Issue: 01 October 2025

Singapore 627608

Issue No.: 06

S/N	Food Category	Area	Test Parameter	Standard Reference Method/ In-house Method No./ Equipment/ Technique
37			Listeria monocytogenes	FDA-BAM, Chapter 10 (Apr 2022)
38			Salmonella spp.	FDA BAM, Chapter 5 (May 2024) ISO 6579-1: 2017 / AMD 1: 2020
39			Shigella spp.	ISO 21567: 2004
40			Vibrio cholerae	ISO 21872-1:2017 /AMD 1: 2023
41			Vibrio parahaemolyticus Count	Practical Food Microbiology 3rd Edition Chapter 6.15 (2003) (CFU) (Method 3)
42			Vibrio vulnificus	ISO 21872-1: 2017/ AMD 1: 2023
43		Food Additives	Benzoic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)
44			Sorbic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)
45	Cocoa Products	Microbiological Indicators	Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
46			E. coli Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
47			Faecal Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN)
48			Total Colony Count / Aerobic Plate Count @ 30/35°C	FDA-BAM, Chapter 3 (Jan 2001)
49		Pathogens, Parasites & Toxins	Coagulase Positive Staphylococcus aureus Count	FDA BAM, Chapter 12 (Mar 2016)
50			Salmonella spp.	FDA BAM, Chapter 5 (May 2024) ISO 6579-1: 2017 / AMD 1: 2020
51			Shigella spp.	ISO 21567: 2004
52			Vibrio cholerae	ISO 21872-1:2017 /AMD 1: 2023
53		Food Specifications	Fat %	In- house method C&B W037 Rev4
54			Moisture	In- house method C&B W029 Rev2
55			pH	In-house method C&B-W033 (Rev 1)
56	Meat and Meat Products	Microbiological Indicators	Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
57			E. coli Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)

Laboratory Name: Amlab Services Pte Ltd

Certificate No.: LRP-2020-013/AML

Address: 7 Soon Lee Street, #03-10/11/13, iSpace

Date of Issue: 01 October 2025

Singapore 627608

Issue No.: 06

S/N	Food Category	Area	Test Parameter	Standard Reference Method/ In-house Method No./ Equipment/ Technique
58			Enterobacteriaceae Count	ISO 21528-2: 2017
59			pH @ 25°C	In-house method C&B-W033 (Rev 1)
60			Total Colony Count / Aerobic Plate Count @ 30/35°C	FDA-BAM, Chapter 3 (Jan 2001)
61		Pathogens, Parasites & Toxins	Clostridium perfringens	FDA BAM, Chapter 16 (Jan 2001)
62			Coagulase Positive Staphylococcus aureus Count	FDA BAM, Chapter 12 (Mar 2016)
63			E. coli O157: H7	ISO 16654-1: 2001 / AMD 1: 2017 / AMD 2: 2023
64			Listeria monocytogenes	FDA-BAM, Chapter 10 (Apr 2022)
65			Salmonella serotyping (Salmonella Enteritidis, Salmonella Paratyphi A, Salmonella Paratyphi B and Salmonella Typhi)	ISO 6579-1:2017 / AMD 1: 2020 ISO 6579-3: 2014
66			Salmonella spp.	FDA BAM, Chapter 5 (May 2024) ISO 6579-1: 2017 / AMD 1: 2020
67			Shigella spp.	ISO 21567: 2004
68			Vibrio cholerae	ISO 21872-1:2017 /AMD 1: 2023
69		Food Additives	Nitrate	In-House method C&B W047 Rev 3 (UPLC-PDA)
70			Nitrite	In-House method C&B W047 Rev 3 (UPLC-PDA)
71	Fish and Seafood Products	Microbiological Indicators	Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
72			E. coli Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
73			Enterobacteriaceae Count	ISO 21528-2: 2017
74			Faecal Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN)
75			pH @ 25°C	In-house method C&B-W033 (Rev 1)
76			Total Colony Count / Aerobic Plate Count @ 30/35°C	FDA-BAM, Chapter 3 (Jan 2001)

Laboratory Name: Amlab Services Pte Ltd
Address: 7 Soon Lee Street, #03-10/11/13, iSpace
Singapore 627608

Certificate No.: LRP-2020-013/AML
Date of Issue: 01 October 2025
Issue No.: 06

S/N	Food Category	Area	Test Parameter	Standard Reference Method/ In-house Method No./ Equipment/ Technique
77		Pathogens, Parasites & Toxins	Coagulase Positive Staphylococcus aureus Count	FDA BAM, Chapter 12 (Mar 2016)
78			Listeria monocytogenes	FDA-BAM, Chapter 10 (Apr 2022)
79			Salmonella spp.	FDA BAM, Chapter 5 (May 2024) ISO 6579-1: 2017 / AMD 1: 2020
80			Shigella spp.	ISO 21567: 2004
81			Vibrio cholerae	ISO 21872-1:2017 /AMD 1: 2023
82			Vibrio parahaemolyticus Count	Practical Food Microbiology 3rd Edition Chapter 6.15 (2003) (CFU) (Method 3)
83			Vibrio vulnificus	ISO 21872-1: 2017/ AMD 1: 2023
84		Food Additives	Benzoic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)
85			Sorbic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)
86		Inorganic Contaminants	Mercury	In-house method C&B-W024 (Rev 7)
87		Organic Contaminants	Histamine	In-house method C&B-W045 (Rev 3) (LCMSMS)
88	Egg and Egg Based Products	Microbiological Indicators	Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
89			E. coli Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
90			Faecal Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN)
91			Total Colony Count / Aerobic Plate Count @ 30/35°C	FDA-BAM, Chapter 3 (Jan 2001)
92		Pathogens, Parasites & Toxins	Coagulase Positive Staphylococcus aureus Count	FDA BAM, Chapter 12 (Mar 2016)
93			Listeria monocytogenes	FDA-BAM, Chapter 10 (Apr 2022)
94			Salmonella Enteritidis	ISO 6579-1:2017 / AMD 1: 2020 ISO 6579-3: 2014

Laboratory Name: Amlab Services Pte Ltd
Address: 7 Soon Lee Street, #03-10/11/13, iSpace
Singapore 627608

Certificate No.: LRP-2020-013/AML
Date of Issue: 01 October 2025
Issue No.: 06

S/N	Food Category	Area	Test Parameter	Standard Reference Method/ In-house Method No./ Equipment/ Technique
95			Salmonella spp.	FDA BAM, Chapter 5 (May 2024) ISO 6579-1: 2017 / AMD 1: 2020
96			Shigella spp.	ISO 21567: 2004
97			Vibrio cholerae	ISO 21872-1:2017 /AMD 1: 2023
98	Sweeteners	Microbiological Indicators	Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
99			E. coli Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
100			Faecal Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN)
101			Mould Count	FDA BAM, Chapter 18 (Apr 2001)
102			Total Colony Count / Aerobic Plate Count @ 30/35°C	FDA-BAM, Chapter 3 (Jan 2001)
103			Yeast Count	FDA BAM, Chapter 18 (Apr 2001)
104		Pathogens, Parasites & Toxins	Coagulase Positive Staphylococcus aureus Count	FDA BAM, Chapter 12 (Mar 2016)
105			Salmonella spp.	FDA BAM, Chapter 5 (May 2024) ISO 6579-1: 2017 / AMD 1: 2020
106		Food Specifications	Sucrose	In-house method C&B-W057 (Rev 1) (LCMSMS)
107	Flour, Improvers and Related Products	Microbiological Indicators	Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
108			E. coli Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
109			Faecal Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN)
110			Total Colony Count / Aerobic Plate Count @ 30/35°C	FDA-BAM, Chapter 3 (Jan 2001)
111		Pathogens, Parasites & Toxins	Coagulase Positive Staphylococcus aureus Count	FDA BAM, Chapter 12 (Mar 2016)
112		Food Additives	Benzoic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)
113			Sorbic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)
114		Food Specifications	Moisture	In- house method C&B W029 Rev2

Laboratory Name: Amlab Services Pte Ltd

Certificate No.: LRP-2020-013/AML

Address: 7 Soon Lee Street, #03-10/11/13, iSpace

Date of Issue: 01 October 2025

Singapore 627608

Issue No.: 06

S/N	Food Category	Area	Test Parameter	Standard Reference Method/ In-house Method No./ Equipment/ Technique
115			pH	In-house method C&B-W033 (Rev 1)
116	Grain Based Products	Microbiological Indicators	Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
117			E. coli Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
118			Faecal Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN)
119			pH @ 25°C	In-house method C&B-W033 (Rev 1)
120			Total Colony Count / Aerobic Plate Count @ 30/35°C	FDA-BAM, Chapter 3 (Jan 2001)
121		Pathogens, Parasites & Toxins	Coagulase Positive Staphylococcus aureus Count	FDA BAM, Chapter 12 (Mar 2016)
122			Salmonella spp.	FDA BAM, Chapter 5 (May 2024) ISO 6579-1: 2017 / AMD 1: 2020
123			Shigella spp.	ISO 21567: 2004
124			Vibrio cholerae	ISO 21872-1:2017 /AMD 1: 2023
125		Confectionery and Bakery Products	Microbiological Indicators	Coliform Count
126	E. coli Count			FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
127	Faecal Coliform Count			FDA-BAM, Chapter 4 (Oct 2020) (MPN)
128	Mould Count			FDA BAM, Chapter 18 (Apr 2001)
129	Total Colony Count / Aerobic Plate Count @ 30/35°C			FDA-BAM, Chapter 3 (Jan 2001)
130	Yeast Count		FDA BAM, Chapter 18 (Apr 2001)	
131	Pathogens, Parasites & Toxins		Coagulase Positive Staphylococcus aureus Count	FDA BAM, Chapter 12 (Mar 2016)
132			Salmonella spp.	FDA BAM, Chapter 5 (May 2024) ISO 6579-1: 2017 / AMD 1: 2020
133			Shigella spp.	ISO 21567: 2004
134			Vibrio cholerae	ISO 21872-1:2017 /AMD 1: 2023

Laboratory Name: Amlab Services Pte Ltd
Address: 7 Soon Lee Street, #03-10/11/13, iSpace
Singapore 627608

Certificate No.: LRP-2020-013/AML
Date of Issue: 01 October 2025
Issue No.: 06

S/N	Food Category	Area	Test Parameter	Standard Reference Method/ In-house Method No./ Equipment/ Technique
135	Sauces, Seasonings, Soup, Spices and Related Products	Food Additives	Benzoic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)
136			Sorbic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)
137		Microbiological Indicators	Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
138			E. coli Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
139			Faecal Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN)
140			Mould Count	FDA BAM, Chapter 18 (Apr 2001)
141			pH @ 25°C	In-house method C&B-W033 (Rev 1)
142			Total Colony Count / Aerobic Plate Count @ 30/35°C	FDA-BAM, Chapter 3 (Jan 2001)
143			Yeast Count	FDA BAM, Chapter 18 (Apr 2001)
144		Pathogens, Parasites & Toxins	Bacillus cereus Count	FDA BAM, Chapter 14 (Oct 2020)
145			Coagulase Positive Staphylococcus aureus Count	FDA BAM, Chapter 12 (Mar 2016)
146			Listeria monocytogenes	FDA-BAM, Chapter 10 (Apr 2022)
147			Salmonella spp.	FDA BAM, Chapter 5 (May 2024) ISO 6579-1: 2017 / AMD 1: 2020
148			Shigella spp.	ISO 21567: 2004
149			Vibrio cholerae	ISO 21872-1:2017 /AMD 1: 2023
150			Vibrio parahaemolyticus Count	Practical Food Microbiology 3rd Edition Chapter 6.15 (2003) (CFU) (Method 3)
151		Food Additives	Benzoic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)
152			Methyl Paraben	In-house method C&B W048 Rev 1 (UPLC-PDA)
153			Sorbic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)
154			Propyl Paraben	In-house method C&B W048 Rev 1 (UPLC-PDA)
155		Food Specifications	Moisture	In- house method C&B W029 Rev2
156	Food Supplements		Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)

Laboratory Name: Amlab Services Pte Ltd
Address: 7 Soon Lee Street, #03-10/11/13, iSpace
Singapore 627608

Certificate No.: LRP-2020-013/AML
Date of Issue: 01 October 2025
Issue No.: 06

S/N	Food Category	Area	Test Parameter	Standard Reference Method/ In-house Method No./ Equipment/ Technique
157		Microbiological Indicators	E. coli Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
158			Faecal Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN)
159			pH @ 25°C	In-house method C&B-W033 (Rev 1)
160			Total Colony Count / Aerobic Plate Count @ 30/35°C	FDA-BAM, Chapter 3 (Jan 2001)
161		Pathogens, Parasites & Toxins	Bacillus cereus Count	FDA BAM, Chapter 14 (Oct 2020)
162			Coagulase Positive Staphylococcus aureus Count	FDA BAM, Chapter 12 (Mar 2016)
163			Salmonella spp.	FDA BAM, Chapter 5 (May 2024) ISO 6579-1: 2017 / AMD 1: 2020
164			Shigella spp.	ISO 21567: 2004
165			Vibrio cholerae	ISO 21872-1:2017 /AMD 1: 2023
166		Food Additives	Benzoic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)
167			Nitrate	In-House method C&B W047 Rev 3 (UPLC-PDA)
168			Nitrite	In-House method C&B W047 Rev 3 (UPLC-PDA)
169			Sorbic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)
170	Bottled Water	Microbiological Indicators	Coliform Count	APHA 9221 B APHA 9222 B
171			E. coli Count	APHA 9222 B / D / H
172			Faecal Coliform Count	APHA 9222 D
173			Total Colony Count / Aerobic Plate Count @ 30/35°C	APHA 9215 B / C / D
174		Pathogens, Parasites & Toxins	Enterococci Count	APHA 9230 C
175			Pseudomonas aeruginosa Count	APHA 9213 E
176		Inorganic Contaminants	Anions (Chloride, Nitrate, Nitrite, Fluoride, Sulphate)	APHA 4110 B

Laboratory Name: Amlab Services Pte Ltd

Address: 7 Soon Lee Street, #03-10/11/13, iSpace
Singapore 627608

Certificate No.: LRP-2020-013/AML

Date of Issue: 01 October 2025

Issue No.: 06

S/N	Food Category	Area	Test Parameter	Standard Reference Method/ In-house Method No./ Equipment/ Technique
177			Cyanide	APHA 4500-CN B/C/D/E/F
178			Metals (Antimony, Arsenic, Barium, Boron, Cadmium, Chromium, Copper, Lead, Manganese, Mercury, Nickel, Selenium)	APHA 3120 B, Mercury Analyzer for Hg
179		Organic Contaminants	Trihalomethanes (Chloroform, bromodichloromethane, dibromochloromethane, bromoform)	USEPA 5021A (Jul 2014), USEPA 8260 D (Jul 2018)
180	Tea	Microbiological Indicators	Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
181			E. coli Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
182			Faecal Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN)
183			Mould Count	FDA BAM, Chapter 18 (Apr 2001)
184			Total Colony Count / Aerobic Plate Count @ 30/35°C	FDA-BAM, Chapter 3 (Jan 2001)
185			Yeast Count	FDA BAM, Chapter 18 (Apr 2001)
186		Pathogens, Parasites & Toxins	Coagulase Positive Staphylococcus aureus Count	FDA BAM, Chapter 12 (Mar 2016)
187			Salmonella spp.	FDA BAM, Chapter 5 (May 2024) ISO 6579-1: 2017 / AMD 1: 2020
188	Beverages	Microbiological Indicators	Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
189			E. coli Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
190			Faecal Coliform Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN)
191			Mould Count	FDA BAM, Chapter 18 (Apr 2001)
192			pH @ 25°C	In-house method C&B-W033 (Rev 1)
193			Total Colony Count / Aerobic Plate Count @ 30/35°C	FDA-BAM, Chapter 3 (Jan 2001)
194			Yeast Count	FDA BAM, Chapter 18 (Apr 2001)

Laboratory Name: Amlab Services Pte Ltd

Certificate No.: LRP-2020-013/AML

Address: 7 Soon Lee Street, #03-10/11/13, iSpace

Date of Issue: 01 October 2025

Singapore 627608

Issue No.: 06

S/N	Food Category	Area	Test Parameter	Standard Reference Method/ In-house Method No./ Equipment/ Technique
195		Pathogens, Parasites & Toxins	Coagulase Positive Staphylococcus aureus Count	FDA BAM, Chapter 12 (Mar 2016)
196			Listeria monocytogenes	FDA-BAM, Chapter 10 (Apr 2022)
197			Salmonella spp.	FDA BAM, Chapter 5 (May 2024) ISO 6579-1: 2017 / AMD 1: 2020
198			Shigella spp.	ISO 21567: 2004
199			Vibrio cholerae	ISO 21872-1:2017 /AMD 1: 2023
200		Food Additives	Benzoic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)
201			Sorbic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)
202	General Food Products	Food Additives	Benzoic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)
203			Methyl Paraben	In-house method C&B W048 Rev 1 (UPLC-PDA)
204			Nitrate	In-House method C&B W047 Rev 3 (UPLC-PDA)
205			Nitrite	In-House method C&B W047 Rev 3 (UPLC-PDA)
206			Sorbic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)
207			Propyl Paraben	In-house method C&B W048 Rev 1 (UPLC-PDA)
208		Inorganic Contaminants	Mercury	In-house method C&B-W024 (Rev 7)
209	Swabs from Poultry and Farm Environment	Pathogens, Parasites & Toxins	Salmonella spp.	CMMEF Chapter 3 (Dec 2013), APHA ISO 18593: 2018
210	RTE	Microbiological Indicators	E. coli Count	FDA-BAM, Chapter 4 (Oct 2020) (MPN / CFU)
211			Enterobacteriaceae Count	ISO 21528-2: 2017
212			Total Colony Count / Aerobic Plate Count @ 30/35°C	FDA-BAM, Chapter 3 (Jan 2001)
213		Pathogens, Parasites & Toxins	Coagulase Positive Staphylococcus aureus count	FDA BAM, Chapter 12 (Mar 2016)

Laboratory Name: Amlab Services Pte Ltd
 Address: 7 Soon Lee Street, #03-10/11/13, iSpace
 Singapore 627608

Certificate No.: LRP-2020-013/AML
 Date of Issue: 01 October 2025
 Issue No.: 06

S/N	Food Category	Area	Test Parameter	Standard Reference Method/ In-house Method No./ Equipment/ Technique
214			Listeria monocytogenes	FDA-BAM, Chapter 10 (Apr 2022)
215			Salmonella spp.	FDA BAM, Chapter 5 (May 2024) ISO 6579-1: 2017 / AMD 1: 2020
216			Shigella spp.	ISO 21567: 2004
217			Vibrio cholerae	ISO 21872-1:2017 /AMD 1: 2023
218			Vibrio parahaemolyticus Count	Practical Food Microbiology 3rd Edition Chapter 6.15 (2003) (CFU) (Method 3)
219			Vibrio vulnificus	ISO 21872-1: 2017/ AMD 1: 2023
220		Food Additives	Benzoic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)
221			Nitrate	In-House method C&B W047 Rev 3 (UPLC-PDA)
222			Nitrite	In-House method C&B W047 Rev 3 (UPLC-PDA)
223			Sorbic Acid	In-house method C&B W048 Rev 1 (UPLC-PDA)